

FIG. 1




FIG. 2




FIG. 3

REGISTER BANK SELECTION TABLE 10

DATA AREA ID	BANK NUMBER

FIG. 4

DATA AREA ACCESS RIGHT DEFINITION TABLE


11

TASK ID	AREA A	AREA B	AREA C		
1	O	X	O		
2	O	O	O		
3	X	O	X		
4	X	X	O		

X ----- IN-PERMISSIBLE

O ----- PERMISSIBLE

FIG. 5



DATA CLASS DEFINITION FILE

```

#DATA AREA: A
DATA CLASS: A
{
  DATA AREA ID=1;
  ACCESS TASK:1,2
  DATA=DATA1,DATA2,DATA3;
}
  
```

005110-6625960

11

```
R---- READABLE, IN-WRITABLE,
W---- IN-READABLE, WRITABLE,
RW---- READABLE, WRITABLE,
X---- IN-READABLE, IN-WRITABLE
```


[illegible]


81

[illegible][illegible]

91

TASK ID OR INTERRUPTION NUMBER	AREA A	AREA B	AREA C		
1	R	X	R		
2	RW	X	X		
3	X	W	X		
101	RW	X	RW		
102	R	R	R		
103	X	W	X		
104	X	X	R		

FIG. 11



005470 6625960